INVOCARE
MEMORIAL PARKS
& GARDENS

Medical Implanted Devices

		REMOVAL Y/N	RISK	BODY LOCATION
Pacemaker		Yes	Cremation Risk	
Micra Transcatheter Pacemaker		No	Evidence must be obtained that it is this device. Crematorium need to approve cremation.	
Defibrillator		Yes	Cremation Risk	
Nerve Stimulator		Yes	Cremation Risk	
Brain Stimulators		Yes *Might be 1 or 2 devices*	Cremation Risk	
Loop Recorder		Yes *Can vary in shape and size*	Cremation Risk	
Morphine Pump		Yes	Cremation Risk	

		REMOVAL Y/N	RISK	BODY LOCATION
Bladder Stimulator		Yes	Cremation Risk	
Portacath		No	Potential Sharps Risk *Infusion needle may be in place* 	
Radiation Seeds (Prostate Cancer)		No	Cremation Risk only if within 12 Months of insertion	
Cochlea Implant		No *The battery that activates the device is the external component*	Cremation Risk	

Albany Creek Memorial Park
Allambe Memorial Park
Broulee Memorial Gardens
Castlebrook Memorial Park
Forest Lawn Memorial Park
Great Southern Memorial Park
Lake Macquarie Memorial Park
Lakeside Memorial Park
Mt. Thompson Memorial Gardens
Newcastle Memorial Park
Northern Suburbs Memorial Gardens
Pinegrove Memorial Park
Toowoomba Garden of Remembrance
Tweed Heads Memorial Gardens

INVOCARE MEMORIAL PARKS & GARDENS